

## Kayak User Guide

### Specification for Double Person Kayak 470

Material: high quality drop stitch

Person max. 2 person

Length:470cm

Width: 70cm

Chamber: 3

Tube Diameter: 22×8cm

Max Loading: 340kg

Air Valves:3 Recessed One Way

Seam: Quadruple Overlapped

Floor:Attached High Pressure Drop Stitch Floor

Inflation Pressure:10 psi

Accessories included:

1. Two removable fabric seats
2. Two 3-section foldable heavy duty paddles
3. A carrying bag
4. A hand pump with pressure gauge
5. A repair kit

Packing: one standard export carton box.

Packing Size: 90\*45\*40 cm

### Specification for Single Person Kayak 390

Material: high quality drop stitch

Person max. 1 person

Length: 390cm

Width: 70cm

Chamber: 3

Tube Diameter: 22×8cm

Max Loading: 220 kg

Air Valves:3 Recessed One Way

Seam: Quadruple Overlapped

Floor:Attached High Pressure Drop Stitch Floor

Inflation Pressure:10 psi

Accessories included:

1. Removable fabric seat
2. A 3-section foldable heavy duty paddle
3. Carrying bag
4. Hand pump with pressure gauge
5. Repair kit

Packing: one standard export carton box.

Packing Size: 90\*45\*40 cm

**Notes:**

Kayaks can be hard to see from a distance, especially at sea. Please try to wear bright clothes and carry signal equipment

As with traffic, row on the right

If there are larger boats nearby, stay away from them

Buoys: if there are buoys on the water indicating forward or no-go areas, please follow the instructions

You must wear a life jacket and choose one according to your weight. It will not only float you, but also keep your body temperature.

You must carry a whistle, not only to call for help, but also to alert large ships when they approach.

**Maintenance:**

note the following simple maintenance steps and your ship will bring you years of fun.

Be as careful as possible when placing the boat on a rough or hard surface.

Please slide and drag the boat on the beach as far as possible. Do not place the boat on a sharp surface to avoid foreign body piercing

Check hull and fittings (including seat, knee, back, foot, etc.) regularly and tighten loose screws to ensure they are in good condition.

Pay special attention to the handle and check for looseness or damage.

When exposed to the hot sun or high temperature for a long time, please cover and protect to avoid deformation, aging of plastics and accessories.

After use, please rinse with water to remove sand and salt, and extend the service life of the ship and accessories.

Whatever the case, get into the habit of wearing a life jacket. Although Kayak's safety factor is relatively large, but also try to avoid dangerous actions, such as standing and fighting dangerous actions, to cause unnecessary capsizes. To know the best pitch, lift the OARS to the top of your head with your elbows at a 90-degree Angle. The best pitch is the distance between your hands.

In hand and shoulder are the same as wide, about the width of blade on the right side of the first row, when in hand paddle down the upper body turn to the right of nature, left arm unbend and shoulder are the same as high, about when crossed the kayaking body to the right, when the right paddle backward surface, the body naturally turn to the left, and then the left paddle into the water, the location of the right hand over the boat moved to the left, at the same time use the foot pedal to increase strength, (right hand paddles, right

foot push), back to the blade, blade height not more than the height of the shoulder, the back water action contrary. Try not to swing the body up and down, should be parallel swing, as far as possible to maintain a stable center of gravity.

### **Warning**

No protection against drowning

Not for children's use

Do not use in offshore wind

Do not use in offshore current

Do not jump onto the kayak

Do not use a compressor for inflation

Do not overinflate

Check pressure regularly

For swimmers only

Always wear a coast guard approved personal flotation device

Read instructions first

Use only under proper supervision